

Philips UniStreet BGP203/204, BGS203/204

Mounting instruction

Instructions de montage

Montageanleitung

Montage instruktio

Instruzioni di montaggio

Instrucciones de montaje

Instruções de montagem

Monteringsinstruktioner

Monteringsvejledning


Kokoonpano- ja kiinnitysohjeet

Montaj yönergeleri

Návod k montáži

Instrukcja montażu


Szerelési utasítások




LEDs

~220V...240V

50/60Hz






CE

IEC




EN60598


IP66


IK08





Disconnect before servicing
Mettre hors tension avant intervention
Öffnen nur spannungsfrei
Demonteren voor onderhoud
Togliere tensione prima di fare manutenzione
Desconectar antes de manipular
Bryt strömmen före lampbyte



				LUMINOUS FLUX	W	Maximum number of luminaire on MCB 16A	Inrush current
LED12	5	-30°C	35°C	1200	11	31	28A/150µs
LED20	5	-30°C	35°C	2000	20	31	28A/150µs
LED30	5,3	-30°C	35°C	3000	26	21	65A/100µs
LED40	5,3	-30°C	35°C	4000	38	21	65A/100µs
LED50	5,6	-30°C	35°C	5000	42	11	80A/150µs
LED60	5,6	-30°C	35°C	6000	56	11	80A/150µs
LED80	7,5	-30°C	35°C	8000	74	11	80A/150µs
LED100	7,8	-30°C	35°C	10000	91	9	80A/150µs
LED120	8,1	-30°C	35°C	12000	109	9	108A/140µs















BGP/BGS203
32/48A, 48/60A

BGP/BGS203
76A





BGP/BGS203
32/48A, 48/60A





BGP/BGS203
76A


For version without cable




2






3



4







Conductor size 0,5mm² - 2,5mm²



For version with cable


9



10




...DDFx... - DYNADIMMER




11

...LS-x... - LUMISTEP



12

...CTC.../...RF...



13